Perspective

COMP575/COMP770

January 23, 2013

History of projection

- Ancient times: Greeks wrote about laws of perspective
- Renaissance: perspective is adopted by artists

Duccio c. 1308

History of projection

- Later Renaissance: perspective formalized precisely



da Vinci c. 1498

Plane projection in drawing



[Carlbom & Paciorek 78]

Plane projection in drawing



The concept of the picture plane may be better understood by looking through a window or other transparent plane from a fixed viewpoint. Your lines of sight, the multitude of straight lines leading from your eye to the subject, will all intersect this plane. Therefore, if you were to reach out with a grease pencil and draw the image of the subject on this plane you would be "tracing out" the infinite number of points of intersection of sight rays and plane. The result would be that you would have "transferred" a real three-dimensional object to a two-dimensional plane.

Plane projection in photography

- This is another model for what we are doing
  - applies more directly in realistic rendering



[Source unknown]

Ray generation vs. projection

- Viewing in ray tracing
  - start with image point
  - compute ray that projects to that point
  - do this using geometric computation
- Viewing by projection
  - start with 3D point
  - compute image point that it projects to
  - do this using transformations
- Inverse processes
  - ray gen. computes the preimage of projection

Classical projections

- Emphasis on cube-like objects
  - traditional in mechanical and architectural drawing



[after Carlbom & Paciorek 78]

Parallel projection

- Viewing rays are parallel rather than diverging
  - like a perspective camera that's far away



Multiview orthographic



FIGURE 2-1. Multiview orthographic projection: plan, elevations, and section of a building.

[Carlbom & Paciorek 78]

Multiview orthographic



– projection plane parallel to a coordinate plane
– projection direction perpendicular to projection plane

[Carlbom & Paciorek 78]

Off-axis parallel



axonometric: projection plane perpendicular to projection direction but not parallel to coordinate planes



oblique: projection plane parallel to a coordinate plane but not perpendicular to projection direction.

[Carlbom & Paciorek 78]

"Orthographic" projection

- In graphics usually we lump axonometric with orthographic
  - projection plane perpendicular to projection direction
  - image height determines size of objects in image



View volume: orthographic



Oblique projection

- View direction no longer coincides with projection plane normal (one more parameter)
  - objects at different distances still same size
  - objects are shifted in the image depending on their depth



Perspective

one-point: projection plane parallel to a coordinate plane (to two coordinate axes)

two-point: projection plane parallel to one coordinate axis

three-point: projection plane not parallel to a coordinate axis



[Carlbom & Paciorek 78]

Perspective projection (normal)

- Perspective is projection by lines through a point; "normal" = plane perpendicular to view direction
  - magnification determined by:
    - image height
    - object depth
    - image plane distance
  - f.o.v. $\alpha = 2\ \mathrm{atan}(h/(2d))$
  - $y' = d\ y\ /\ z$
  - "normal" case corresponds to common types of cameras



View volume: perspective



Field of view (or f.o.v.)

- The angle between the rays corresponding to opposite edges of a perspective image
  - easy to compute only for "normal" perspective
  - have to decide to measure vert., horiz., or diag.
- In cameras, determined by focal length
  - confusing because of many image sizes
  - for 35mm format (36mm by 24mm image)
    - 18mm = 67° v.f.o.v. — super-wide angle
    - 28mm = 46° v.f.o.v. — wide angle
    - 50mm = 27° v.f.o.v. — "normal"
    - 100mm = 14° v.f.o.v. — narrow angle ("telephoto")

Field of view

- Determines "strength" of perspective effects

close viewpoint
wide angle
prominent foreshortening

far viewpoint
narrow angle
little foreshortening

[Ansel Adams]

Choice of field of view

- In photography, wide angle lenses are specialty tools
  - "hard to work with"
  - easy to create weird-looking perspective effects
- In graphics, you can type in whatever f.o.v. you want
  - and people often type in big numbers!

[Ken Perlin]

Perspective distortions

- Lengths, length ratios



[Carlbom & Paciorek 78]

Shifted perspective projection

- Perspective but with projection plane not perpendicular to view direction
  - additional parameter: projection plane normal
  - exactly equivalent to cropping out an off-center rectangle from a larger "normal" perspective
  - corresponds to *view camera* in photography



Why shifted perspective?

- Control convergence of parallel lines
- Standard example: architecture
  - buildings are taller than you, so you look up
  - top of building is farther away, so it looks smaller
- Solution: make projection plane parallel to facade
  - top of building is the same distance *from the projection plane*
- Same perspective effects can be achieved using post-processing
  - (though not the focus effects)
  - choice of *which* rays vs. arrangement of rays in image

[Philip Greenspun]

camera tilted up: converging vertical lines

[Philip Greenspun]

lens shifted up: parallel vertical lines

Specifying perspective projections

- Many ways to do this
  - common: from, at, up, v.f.o.v. (but not for shifted)
- One way (used in ray tracer):
  - viewpoint, view direction, up
    - establishes location and orientation of viewer
    - view direction is the direction of the center ray
  - image width, image height, projection distance
    - establishes size and location of image rectangle
  - image plane normal
    - can be different from view direction to get shifted perspective